



The **CarGO Compact** range presents commercial quality in a convenient mid size package, appealing to many professional and private users.





CARGO COMPACT

CARGO COMPACT

SMALL AND PROFICIENT.

Lightweight, robust construction ensuring full commercial durability **CarGO Compact** is fit for purpose. The models feature wheels under bed for convenient deck access.

Attractive to private and business operators alike, **CarGO Compact** is able to deal with a variety of tasks. A wide range of optional equipment is available.





CarGO Compact adapts to tough working environments.

- Heavy equipment does not damage the trailer. The **reinforced deck** uses 18mm HD phenol ply, framed and supported by substantial steel chassis sections.
- O Ladder rack, convenient for carrying over length materials. Easy securing tie-down points.
- Low and light **chassis** with 'soft ride' suspension delivers a stable, comfortable performance. The hot dip zinc galvanised chassis has a unique 5 year warranty.





• Standard. • Optional at extra cost.

CARGO COMPACT

CARGO COMPACT

FEATURES AND ACCESSORIES.







Safe **locking** and **storage** of ramps below bed for maximum convenience.

Easy glide ramps slide out design. Quiet when travelling.

• Integrated lighting is well protected and fully compliant with EEC directive 76/7556.



O Galvanised steel drop down sides. Strong and durable, the sides are a must for bulk goods transport.





Kick down rear stands included with ramp option. Rear stands provide instant support for loading.

Drop down **rear door** is part of the side option.



O Steel headboard.

O Ladder rack incorporated end stops and multiple tie-down points. This option allows transport of longer loads.

Headboard required.

- Spare wheel mounted on front crossmember for easy access.
- Jockey wheel, heavy duty. With locking clip.

• Tie-down points located internally along the length of the chassis, for maximum accessibility. Tie-down points include

flexi slot covers to provide a sealed bed surface.

O Tie-down ratchet straps, for easy and secure fastening.





- O Aluminium drop sides are strong, light and feature internal extruded strengthening sections.
- O Light alloy wheels present a professional image. TÜV approved. Includes locking safety wheel bolts.
- Wheels under bed give a fully flat load area right up to the sides whilst maintaining a low centre of gravity.




- Rope hooks. Additional anchorage along the sides provided by under deck rope hooks. The hooks ensure safe and convenient tie-down of loose loads.
- VIN (Vehicle Identification Number) engraved into main chassis for security.



- Single axle model is available in 2.50m bed length.
- Heavy duty, low profile **tyres** provide an extra low bed loading height.

• Standard. • Optional at extra cost.

CARGO COMPACT



O Aluminium drop sides

TECHNICAL INFORMATION.

LOAD BED LENGTH m	2.50				3.00			3.40		
CAPACITY										
Gross kg	1,500	2,000	2,600	3,000	2,000	2,600	3,000	2,000	2,600	3,000
Load kg	1,200	1,620	2,220	2,600	1,600	2,200	2,580	1,560	2,160	2,540
DIMENSIONS										
Internal bed width m	1.64	1.64	1.64	1.64	1.64	1.64	1.64	1.64	1.64	1.64
Overall trailer width m	1.73	1.73	1.73	1.73	1.73	1.73	1.73	1.73	1.73	1.73
Overall trailer length m	3.78	3.78	3.78	3.78	4.40	4.40	4.40	4.68	4.68	4.68
Bed load height m	0.52	0.60	0.60	0.52	0.60	0.60	0.52	0.60	0.60	0.52
RUNNING GEAR AND SECURITY										
Axles	1	2	2	2	2	2	2	2	2	2
Wheel / Tyre size	10" (195/55)	12" (140/70)	12" (155/70)	10" (195/55)	12" (140/70)	12" (155/70)	10" (195/55)	12" (140/70)	12" (155/70)	10" (195/55)
Spare wheel	•	•	•	•	•	•	•	•	•	•
Heavy duty jockey wheel	•	•	•	•	•	•	•	•	•	•
Tie-down straps x 4	0	0	0	0	0	0	0	0	0	0
Alloy wheels – lightweight	0	0	0	0	0	0	0	0	0	0
Wheels-Safety kit – torque wrench + digital tyre pressure gauge	0	0	0	0	0	0	0	0	0	0
Cast steel coupling head with integral high security lock	•	•	•	•	•	•	•	•	•	•
Datatag – Security identification system	0	0	0	0	0	0	0	0	0	0
REAR LOADING										
High grip punched ramps 2.00m + rear stands	0	0	0	0	0	0	0	0	0	0
Full width loading ramp, high mesh + rear stands	_	0	0	0	0	0	0	0	0	0
DROP SIDES AND SIDE OPTIONS										
Steel drop sides + removable headboard	0	0	0	0	0	0	0	0	0	0
Aluminium drop sides + Auto-Lock + removable headboard	0	0	0	0	0	0	0	0	0	0
Ladder rack – Headboard required	0	0	0	0	0	0	0	0	0	0
High mesh side extensions 0.80m (removable) – Headboard and drop sides required	0	0	0	0	0	0	0	0	0	0
STORAGE										
Under side locker	0	0	0	0	0	0	0	0	0	0
WINCH										
Manual winch 2 speed + brake	0	0	0	0	0	0	0	0	0	0
PRODUCTS										
Product code	400-0010	400-0110	400-0210	400-0410	400-1010	400-1210	400-1410	400-2010	400-2210	400-2410